

REMARKS

Claims 1-10, 12, 17-31, 36-48, 50, 55-57, 59, 61, 62, 73-82, 93-136, and 145-170 are currently pending in this application. By this amendment, Claims 1-10, 12, 17-31, 36-48, 50, 55-57, 59, 61, 62, 73-82, 93-136, and 145-170 have been canceled and new Claims 177-270 have been added. Support for the new claims is found in the specification and claims as filed. Upon entry of the amendment, Claims 177-270 will be pending and under consideration.

Claim Rejection - 35 U.S.C. §103(a) – Shin et al., Mastrototaro, Millar, and Say et al.

Claims 1-10, 12, 17-31, 36-48, 50, 55-57, 59, 61, 62, 73-82, 93-113, 116-121, 124-130, 133-136, and 150-170 have been rejected under 35 U.S.C. §103(a) as obvious over US 2002/016288 A1 (“Shin et al.”) in view of article entitled “The Minimed Continuous Glucose Monitoring System” (“Mastrototaro”), U.S. 6,416,651 (“Millar”), and US 2007/0213610 A1 (“Say et al.”). Although Applicants do not necessarily agree with the propriety of the rejection, Claims 1-10, 12, 17-31, 36-48, 50, 55-57, 59, 61, 62, 73-82, 93-113, 116-121, 124-130, 133-136, and 150-170 have been canceled without prejudice in favor of new Claims 177-270, solely to advance prosecution. Applicants reserve the ability to pursue the canceled claims or similar claims in one or more continuing applications. Accordingly, Applicants respectfully request that the rejection be withdrawn.

Claim Rejection - 35 U.S.C. §103(a) – Shin et al., Mastrototaro, Millar, Say et al., and Guerci et al.

Claims 114, 115, 122, 123, 131, 132, 148, and 149 have been rejected under 35 U.S.C. §103(a) as obvious over Shin et al. in view of Mastrototaro, Millar and Say et al. in further view of Guerci et al. Although Applicants do not necessarily agree with the propriety of the rejection, Claims 114, 115, 122, 123, 131, 132, 148, and 149 have been canceled without prejudice in favor of new Claims 177-270, solely to advance prosecution. Applicants reserve the ability to pursue the canceled claims or similar claims in one or more continuing applications. Accordingly, Applicants respectfully request that the rejection be withdrawn.

Claim Rejection - 35 U.S.C. §103(a) – Shin et al., Mastrototaro, Millar, Say et al., and Harn

Claims 174-176 have been rejected under 35 U.S.C. §103(a) as obvious over Shin et al. in view of Mastrototaro, Millar and Say et al. in further view of U.S. 5,553,616 (“Harn et al.”). Although Applicants do not necessarily agree with the propriety of the rejection, Claims 174-176

have been canceled without prejudice in favor of new Claims 177-270, solely to advance prosecution. Applicants reserve the ability to pursue the canceled claims or similar claims in one or more continuing applications. Accordingly, Applicants respectfully request that the rejection be withdrawn.

New Claims

Applicants assert that new Claims 177-270 are not obvious over the art of record (Shin et al., Mastrototaro, Millar, Say et al., Guerri et al., and Harn). To establish a *prima facie* case of obviousness, three elements must be established. First, the prior art reference (or references when combined) must teach or suggest all of the claim limitations: "All words in a claim must be considered in judging the patentability of that claim against the prior art." *In re Wilson*, 424 F.2d 1382, 165 U.S.P.Q. 494, 496 (CCPA 1970); *see also M.P.E.P. § 2143.03*. Second, there must be a reasonable expectation of success. *In re Merck & Co., Inc.*, 800 F.2d 1091 (Fed. Cir. 1986); *see also M.P.E.P. § 2143.02*. And finally, there must be some reason to modify or combine the cited references that renders the claim obvious. Merely establishing that the claimed elements can be found in the prior art is not sufficient to establish a *prima facie* case of obviousness:

As is clear from cases such as Adams, a patent composed of several elements is not proved obvious merely by demonstrating that each of its elements was, independently, known in the prior art. *KSR Int'l Co. v. Teleflex Inc.*, 127 S. Ct. 1727, 1741 (2007) (emphasis added).

Instead, the Court has made clear that the Examiner must establish a reason one of skill in the art would have combined the elements of the prior art, and that such reason must be more than a conclusory statement that it would have been obvious.

Often, it will be necessary for a court to look to interrelated teachings of multiple patents; the effects of demands known to the design community or present in the marketplace; and the background knowledge possessed by a person having ordinary skill in the art, all in order to determine whether there was an apparent reason to combine the known elements in the fashion claimed by the patent at issue. To facilitate review, this analysis should be made explicit. *See In re Kahn*, 441 F.3d 977, 988 (C.A.Fed.2006) ("[R]ejections on obviousness grounds cannot be sustained by mere conclusory statements; instead, there must be some articulated reasoning with some rational underpinning to support the legal conclusion of obviousness"). *KSR Int'l Co. v. Teleflex Inc.*, 127 S. Ct. 1727, 1740-1741 (2007).

Applicants respectfully submit that the pending claims as amended are not obvious under 35 U.S.C. § 103(a) for the reasons detailed below.

New Claim 177, from which Claims 178-188 depend, recites “[a] method for calibrating an analyte sensor, the method comprising: receiving sensor data from an analyte sensor, including one or more sensor data points; receiving reference data, including one or more reference data points; providing one or more matched data pairs by matching a reference data point to a substantially time corresponding sensor data point; forming a calibration set including the one or more matched data pairs; forming a conversion function based at least in part on the calibration set, wherein the conversion function is defined by a line formed by a regression including the one or more matched data pairs in the calibration set, and wherein the conversion function is further modified to increase a clinical acceptability of the one or more matched data pairs or the line; and converting the sensor data into calibrated sensor data.” The art of record, alone or in combination, does not teach or fairly suggest forming a conversion function based at least in part on the calibration set, wherein the conversion function is defined by a line formed by a regression including the one or more matched data pairs in the calibration set, and wherein the conversion function is further modified to increase a clinical acceptability of the one or more matched data pairs or the line. Accordingly, Applicants assert that new Claims 177-188 are novel and nonobvious over the art of record.

New Claim 189, from which Claims 190-200 depend, recites “[a] computer system for calibrating an analyte sensor, the computer system comprising: a sensor data receiving module configured to receive a data stream comprising one or more sensor data points; a reference data receiving module configured to receive reference data, including one or more reference data points; a data matching module configured to form one or more matched data pairs by matching one or more reference data points to one or more substantially time corresponding sensor data points; a calibration set module configured to form a calibration set including the one or more matched data pairs; and a conversion function module configured to form a conversion function defined by a line formed by a regression including the one or more matched data pairs in the calibration set, wherein the conversion function module is further configured to modify the conversion function to increase a clinical acceptability of the one or more matched data pairs or the line, and wherein the conversion function module is further configured to convert the sensor

data into calibrated sensor data.” The art of record, alone or in combination, does not teach or fairly suggest a conversion function module configured to form a conversion function defined by a line formed by a regression including the one or more matched data pairs in the calibration set, wherein the conversion function module is further configured to modify the conversion function to increase a clinical acceptability of the one or more matched data pairs or the line. Accordingly, Applicants assert that new Claims 189-200 are novel and nonobvious over the art of record.

New Claim 201, from which Claims 202-219 depend, recites “[a] method for evaluating a quality of a calibration of an analyte sensor, the method comprising: receiving sensor data from an analyte sensor, including one or more sensor data points; receiving reference data, including one or more reference data points; providing one or more matched data pairs by matching a reference data point to a substantially time corresponding sensor data point; forming a calibration set including the one or more matched data pairs; evaluating a quality of the calibration set based on a statistical association of the calibration set and a clinical association of the one or more matched data pairs; modifying the calibration set in response to the statistical association not meeting a criterion or the clinical association not meeting a criterion; and processing the sensor data in response to the statistical association meeting a criterion and the clinical association meeting a criterion.” The art of record, alone or in combination, does not teach or fairly suggest evaluating a quality of the calibration set based on a statistical association of the calibration set and a clinical association of the one or more matched data pairs. Accordingly, Applicants assert that new Claims 201-219 are novel and nonobvious over the art of record.

New Claim 220, from which Claims 221-238 depend, recites “[a] computer system for evaluating a quality of a calibration of an analyte sensor, the system comprising: a sensor data receiving module configured to receive a data stream comprising one or more sensor data points; a reference data receiving module configured to receive reference data, including one or more reference data points; a data matching module configured to form one or more matched data pairs by matching one or more reference data points to one or more substantially time corresponding sensor data points; a calibration set module configured to form a calibration set including the one or more matched data pairs; an evaluation module configured to evaluate a quality of the calibration set based on a statistical association of the calibration set and a clinical association of

the one or more matched data pairs, wherein the calibration set is modified in response to the statistical association not meeting a criterion or the clinical association not meeting a criterion; and a processor module configured to process the sensor data in response to the statistical association meeting a criterion and the clinical association meeting a criterion.” The art of record, alone or in combination, does not teach or fairly suggest an evaluation module configured to evaluate a quality of the calibration set based on a statistical association of the calibration set and a clinical association of the one or more matched data pairs, wherein the calibration set is modified in response to the statistical association not meeting a criterion or the clinical association not meeting a criterion. Accordingly, Applicants assert that new Claims 220-238 are novel and nonobvious over the art of record.

New Claim 239, from which Claims 240-254 depend, recites “[a] method for evaluating a calibration of an analyte sensor, the method comprising: receiving sensor data from an analyte sensor, including one or more sensor data points; receiving reference data, including one or more reference data points; providing one or more matched data pairs by matching a reference data point to a substantially time corresponding sensor data point; forming a calibration set including the one or more matched data pairs; evaluating in real-time a clinical acceptability of the one or more matched data pairs, wherein the clinical acceptability is based at least in part on a clinical error grid analysis; and processing the sensor data in response to the clinical acceptability of the one or more matched data pairs meeting a criterion.” The art of record, alone or in combination, does not teach or fairly suggest evaluating in real-time a clinical acceptability of the one or more matched data pairs, wherein the clinical acceptability is based at least in part on a clinical error grid analysis. Accordingly, Applicants assert that new Claims 239-254 are novel and nonobvious over the art of record.

New Claim 255, from which Claims 256-270 depend, recites “[a] computer system for evaluating a calibration of an analyte sensor, the method comprising: a sensor data receiving module configured to receive a data stream comprising one or more sensor data points; a reference data receiving module configured to receive reference data, including one or more reference data points; a data matching module configured to form one or more matched data pairs by matching one or more reference data points to one or more substantially time corresponding sensor data points; a calibration set module configured to form a calibration set including the one

Application No.: 10/633,329
Filing Date. August 1, 2003

or more matched data pairs; an evaluation module configured to evaluate a clinical acceptability of the one or more matched data pairs in real-time, wherein the clinical acceptability is based at least in part on a clinical error grid analysis; and a processor module configured to process the sensor data in response to the clinical acceptability of the one or more matched data pairs meeting a criterion." The art of record, alone or in combination, does not teach or fairly suggest an evaluation module configured to evaluate a clinical acceptability of the one or more matched data pairs in real-time, wherein the clinical acceptability is based at least in part on a clinical error grid analysis. Accordingly, Applicants assert that new Claims 255-270 are novel and nonobvious over the art of record.

No Disclaimers or Disavowals

Although the present communication may include alterations to the application or claims, or characterizations of claim scope or referenced art, Applicant is not conceding in this application that previously pending claims are not patentable over the cited references. Rather, any alterations or characterizations are being made to facilitate expeditious prosecution of this application. Applicant reserves the right to pursue at a later date any previously pending or other broader or narrower claims that capture any subject matter supported by the present disclosure, including subject matter found to be specifically disclaimed herein or by any prior prosecution. Accordingly, reviewers of this or any parent, child or related prosecution history shall not reasonably infer that Applicant has made any disclaimers or disavowals of any subject matter supported by the present application.

Co-Pending Applications of Assignee

Applicant wishes to draw the Examiner's attention to the following co-pending applications of the present application's assignee.

Docket No.	Serial No.	Title	Filed
DEXCOM.9CPDVC	07/122395	BIOLOGICAL FLUID MEASURING DEVICE	11/19/1987
DEXCOM.9CPDCP	07/216683	BIOLOGICAL FLUID MEASURING DEVICE	7/7/1988
DEXCOM.008A	08/811473	DEVICE AND METHOD FOR DETERMINING ANALYTE LEVELS	3/4/1997
DEXCOM.008DV1	09/447227	DEVICE AND METHOD FOR DETERMINING ANALYTE LEVELS	11/22/1999

DEXCOM.8DVC1	09/489588	DEVICE AND METHOD FOR DETERMINING ANALYTE LEVELS	1/21/2000
DEXCOM.8DVCP1	09/636369	SYSTEMS AND METHODS FOR REMOTE MONITORING AND MODULATION OF MEDICAL DEVICES	8/11/2000
DEXCOM.006A	09/916386	MEMBRANE FOR USE WITH IMPLANTABLE DEVICES	7/27/2001
DEXCOM.007A	09/916711	SENSOR HEAD FOR USE WITH IMPLANTABLE DEVICE	7/27/2001
DEXCOM.8DVCP2	09/916858	DEVICE AND METHOD FOR DETERMINING ANALYTE LEVELS	7/27/2001
DEXCOM.010A	10/153356	TECHNIQUES TO IMPROVE POLYURETHANE MEMBRANES FOR IMPLANTABLE GLUCOSE SENSORS	5/22/2002
DEXCOM.024A	10/632537	SYSTEM AND METHODS FOR PROCESSING ANALYTE SENSOR DATA	8/1/2003
DEXCOM.026A	10/633329	SYSTEM AND METHODS FOR PROCESSING ANALYTE SENSOR DATA	8/1/2003
DEXCOM.016A	10/633367	SYSTEM AND METHODS FOR PROCESSING ANALYTE SENSOR DATA	8/1/2003
DEXCOM.025A	10/633404	SYSTEM AND METHODS FOR PROCESSING ANALYTE SENSOR DATA	8/1/2003
DEXCOM.011A	10/646333	OPTIMIZED SENSOR GEOMETRY FOR AN IMPLANTABLE GLUCOSE SENSOR	8/22/2003
DEXCOM.012A	10/647065	POROUS MEMBRANES FOR USE WITH IMPLANTABLE DEVICES	8/22/2003
DEXCOM.027A	10/648849	SYSTEMS AND METHODS FOR REPLACING SIGNAL ARTIFACTS IN A GLUCOSE SENSOR DATA STREAM	8/22/2003
DEXCOM.8DVC1C1	10/657843	DEVICE AND METHOD FOR DETERMINING ANALYTE LEVELS	9/9/2003
DEXCOM.028A	10/695636	SILICONE COMPOSITION FOR BIOCOMPATIBLE MEMBRANE	10/28/2003
DEXCOM.006C1	10/768889	MEMBRANE FOR USE WITH IMPLANTABLE DEVICES	1/29/2004
DEXCOM.037A	10/789359	INTEGRATED DELIVERY DEVICE FOR CONTINUOUS GLUCOSE SENSOR	2/26/2004

Application No.: 10/633,329
Filing Date. August 1, 2003

DEXCOM.045A	10/838658	IMPLANTABLE ANALYTE SENSOR	5/3/2004
DEXCOM.044A	10/838909	IMPLANTABLE ANALYTE SENSOR	5/3/2004
DEXCOM.043A	10/838912	IMPLANTABLE ANALYTE SENSOR	5/3/2004
DEXCOM.012CP1	10/842716	BIOINTERFACE MEMBRANES INCORPORATING BIOACTIVE AGENTS	5/10/2004
DEXCOM.8DV1CP	10/846150	ANALYTE MEASURING DEVICE	5/14/2004
DEXCOM.048A	10/885476	SYSTEMS AND METHODS FOR MANUFACTURE OF AN ANALYTE- MEASURING DEVICE INCLUDING A MEMBRANE SYSTEM	7/6/2004
DEXCOM.019A	10/896637	ROLLED ELECTRODE ARRAY AND ITS METHOD FOR MANUFACTURE	7/21/2004
DEXCOM.021A	10/896639	OXYGEN ENHANCING MEMBRANE SYSTEMS FOR IMPLANTABLE DEVICES	7/21/2004
DEXCOM.020A	10/896772	INCREASING BIAS FOR OXYGEN PRODUCTION IN AN ELECTRODE SYSTEM	7/21/2004
DEXCOM.023A	10/897312	ELECTRODE SYSTEMS FOR ELECTROCHEMICAL SENSORS	7/21/2004
DEXCOM.022A	10/897377	ELECTROCHEMICAL SENSORS INCLUDING ELECTRODE SYSTEMS WITH INCREASED OXYGEN GENERATION	7/21/2004
DEXCOM.030A	10/991353	AFFINITY DOMAIN FOR ANALYTE SENSOR	11/16/2004
DEXCOM.032A	10/991966	INTEGRATED RECEIVER FOR CONTINUOUS ANALYTE SENSOR	11/17/2004
DEXCOM.038A	11/004561	CALIBRATION TECHNIQUES FOR A CONTINUOUS ANALYTE SENSOR	12/3/2004
DEXCOM.031A	11/007635	SYSTEMS AND METHODS FOR IMPROVING ELECTROCHEMICAL ANALYTE SENSORS	12/7/2004
DEXCOM.029A	11/007920	SIGNAL PROCESSING FOR CONTINUOUS ANALYTE SENSOR	12/8/2004
DEXCOM.008DV1C	11/021046	DEVICE AND METHOD FOR DETERMINING ANALYTE LEVELS	12/22/2004
DEXCOM.007C1	11/021162	SENSOR HEAD FOR USE WITH IMPLANTABLE DEVICES	12/22/2004
DEXCOM.040A	11/034343	COMPOSITE MATERIAL FOR IMPLANTABLE DEVICE	1/11/2005

Application No.: 10/633,329
 Filing Date. August 1, 2003

DEXCOM.039A	11/034344	IMPLANTABLE DEVICE WITH IMPROVED RADIO FREQUENCY CAPABILITIES	1/11/2005
DEXCOM.024C1	11/038340	SYSTEM AND METHODS FOR PROCESSING ANALYTE SENSOR DATA	1/18/2005
DEXCOM.8DVCP2C	11/039269	DEVICE AND METHOD FOR DETERMINING ANALYTE LEVELS	1/19/2005
DEXCOM.034A	11/055779	BIOINTERFACE MEMBRANE WITH MACRO- AND MICRO-ARCHITECTURE	2/9/2005
DEXCOM.051A8	11/077643	TRANSCUTANEOUS ANALYTE SENSOR	3/10/2005
DEXCOM.051A5	11/077693	TRANSCUTANEOUS ANALYTE SENSOR	3/10/2005
DEXCOM.051A4	11/077713	TRANSCUTANEOUS ANALYTE SENSOR	3/10/2005
DEXCOM.051A6	11/077714	TRANSCUTANEOUS ANALYTE SENSOR	3/10/2005
DEXCOM.051A	11/077715	TRANSCUTANEOUS ANALYTE SENSOR	3/10/2005
DEXCOM.051A10	11/077739	TRANSCUTANEOUS ANALYTE SENSOR	3/10/2005
DEXCOM.051A11	11/077740	TRANSCUTANEOUS ANALYTE SENSOR	3/10/2005
DEXCOM.050A	11/077759	TRANSCUTANEOUS MEDICAL DEVICE WITH VARIABLE STIFFNESS	3/10/2005
DEXCOM.051A7	11/077763	METHOD AND SYSTEMS FOR INSERTING A TRANSCUTANEOUS ANALYTE SENSOR	3/10/2005
DEXCOM.051A12	11/077765	TRANSCUTANEOUS ANALYTE SENSOR	3/10/2005
DEXCOM.051A1	11/077883	TRANSCUTANEOUS ANALYTE SENSOR	3/10/2005
DEXCOM.051A9	11/078072	TRANSCUTANEOUS ANALYTE SENSOR	3/10/2005
DEXCOM.051A2	11/078230	TRANSCUTANEOUS ANALYTE SENSOR	3/10/2005
DEXCOM.051A3	11/078232	TRANSCUTANEOUS ANALYTE SENSOR	3/10/2005
DEXCOM.061A1	11/157365	TRANSCUTANEOUS ANALYTE SENSOR	6/21/2005
DEXCOM.061A	11/157746	TRANSCUTANEOUS ANALYTE SENSOR	6/21/2005

DEXCOM.061A2	11/158227	TRANSCUTANEOUS ANALYTE SENSOR	6/21/2005
DEXCOM.016C1	11/201445	SYSTEM AND METHODS FOR PROCESSING ANALYTE SENSOR DATA	8/10/2005
DEXCOM.010DV2	11/280102	TECHNIQUES TO IMPROVE POLYURETHANE MEMBRANES FOR IMPLANTABLE GLUCOSE SENSORS	11/16/2005
DEXCOM.010DV1	11/280672	TECHNIQUES TO IMPROVE POLYURETHANE MEMBRANES FOR IMPLANTABLE GLUCOSE SENSORS	11/16/2005
DEXCOM.063A	11/333837	LOW OXYGEN IN VIVO ANALYTE SENSOR	1/17/2006
DEXCOM.061CP1	11/334107	TRANSCUTANEOUS ANALYTE SENSOR	1/17/2006
DEXCOM.061CP2	11/334876	TRANSCUTANEOUS ANALYTE SENSOR	1/18/2006
DEXCOM.058A	11/335879	CELLULOSIC-BASED INTERFERENCE DOMAIN FOR AN ANALYTE SENSOR	1/18/2006
DEXCOM.077A	11/360250	ANALYTE SENSOR	2/22/2006
DEXCOM.061CP3	11/360252	ANALYTE SENSOR	2/22/2006
DEXCOM.051CP1	11/360262	ANALYTE SENSOR	2/22/2006
DEXCOM.051CP2	11/360299	ANALYTE SENSOR	2/22/2006
DEXCOM.061CP4	11/360819	ANALYTE SENSOR	2/22/2006
DEXCOM.053A	11/373628	SYSTEM AND METHODS FOR PROCESSING ANALYTE SENSOR DATA FOR SENSOR CALIBRATION	3/9/2006
DEXCOM.075A	11/404417	SILICONE BASED MEMBRANES FOR USE IN IMPLANTABLE GLUCOSE SENSORS	4/14/2006
DEXCOM.010CP1	11/404418	SILICONE BASED MEMBRANES FOR USE IN IMPLANTABLE GLUCOSE SENSORS	4/14/2006
DEXCOM.054A1	11/404421	ANALYTE SENSING BIOINTERFACE	4/14/2006
DEXCOM.054A	11/404929	ANALYTE SENSING BIOINTERFACE	4/14/2006
DEXCOM.054A2	11/404946	ANALYTE SENSING BIOINTERFACE	4/14/2006
DEXCOM.021C1	11/410392	OXYGEN ENHANCING MEMBRANE SYSTEMS FOR IMPLANTABLE DEVICES	4/25/2006
DEXCOM.021DV1	11/410555	OXYGEN ENHANCING MEMBRANE SYSTEMS FOR IMPLANTABLE DEVICES	4/25/2006

DEXCOM.051CP1C1	11/411656	ANALYTE SENSOR	4/26/2006
DEXCOM.060A	11/413238	CELLULOSIC-BASED RESISTANCE DOMAIN FOR AN ANALYTE SENSOR	4/28/2006
DEXCOM.060A2	11/413242	CELLULOSIC-BASED RESISTANCE DOMAIN FOR AN ANALYTE SENSOR	4/28/2006
DEXCOM.060A1	11/413356	CELLULOSIC-BASED RESISTANCE DOMAIN FOR AN ANALYTE SENSOR	4/28/2006
DEXCOM.051C1	11/415593	TRANSCUTANEOUS ANALYTE SENSOR	5/2/2006
DEXCOM.011DV3	11/415631	OPTIMIZED SENSOR GEOMETRY FOR AN IMPLANTABLE GLUCOSE SENSOR	5/2/2006
DEXCOM.051C3	11/415999	TRANSCUTANEOUS ANALYTE SENSOR	5/2/2006
DEXCOM.011DV1	11/416058	OPTIMIZED SENSOR GEOMETRY FOR AN IMPLANTABLE GLUCOSE SENSOR	5/2/2006
DEXCOM.011DV2	11/416346	OPTIMIZED SENSOR GEOMETRY FOR AN IMPLANTABLE GLUCOSE SENSOR	5/2/2006
DEXCOM.051C2	11/416375	TRANSCUTANEOUS ANALYTE SENSOR	5/2/2006
DEXCOM.012CP1C2	11/416734	BIOINTERFACE MEMBRANES INCORPORATING BIOACTIVE AGENTS	5/3/2006
DEXCOM.012CP1C1	11/416825	BIOINTERFACE MEMBRANES INCORPORATING BIOACTIVE AGENTS	5/3/2006
DEXCOM.051CP4	11/439559	ANALYTE SENSOR	5/23/2006
DEXCOM.051CP3	11/439630	ANALYTE SENSOR	5/23/2006
DEXCOM.051CP5	11/439800	ANALYTE SENSOR	5/23/2006
DEXCOM.61CP3CP1	11/445792	ANALYTE SENSOR	6/1/2006
DEXCOM.027CP1	11/498410	SYSTEMS AND METHODS FOR REPLACING SIGNAL ARTIFACTS IN A GLUCOSE SENSOR DATA STREAM	8/2/2006
DEXCOM.51CP3CP1	11/503367	ANALYTE SENSOR	8/10/2006
DEXCOM.27CP1CP2	11/515342	SYSTEMS AND METHODS FOR PROCESSING ANALYTE SENSOR DATA	9/1/2006
DEXCOM.27CP1CP1	11/515443	SYSTEMS AND METHODS FOR PROCESSING ANALYTE SENSOR DATA	9/1/2006
DEXCOM.088A	11/543396	ANALYTE SENSOR	10/4/2006

Application No.: 10/633,329
 Filing Date. August 1, 2003

DEXCOM.088A3	11/543404	ANALYTE SENSOR	10/4/2006
DEXCOM.088A2	11/543490	ANALYTE SENSOR	10/4/2006
DEXCOM.038CP2	11/543539	DUAL ELECTRODE SYSTEM FOR A CONTINUOUS ANALYTE SENSOR	10/4/2006
DEXCOM.038CP3	11/543683	DUAL ELECTRODE SYSTEM FOR A CONTINUOUS ANALYTE SENSOR	10/4/2006
DEXCOM.038CP1	11/543707	DUAL ELECTRODE SYSTEM FOR A CONTINUOUS ANALYTE SENSOR	10/4/2006
DEXCOM.038CP4	11/543734	DUAL ELECTRODE SYSTEM FOR A CONTINUOUS ANALYTE SENSOR	10/4/2006
DEXCOM.8DCP2CC1	11/546157	DEVICE AND METHOD FOR DETERMINING ANALYTE LEVELS	10/10/2006
DEXCOM.012DV1	11/654135	POROUS MEMBRANES FOR USE WITH IMPLANTABLE DEVICES	1/17/2007
DEXCOM.058CP1	11/654140	MEMBRANES FOR AN ANALYTE SENSOR	1/17/2007
DEXCOM.058CP2	11/654327	MEMBRANES FOR AN ANALYTE SENSOR	1/17/2007
DEXCOM.021CP1	11/675063	ANALYTE SENSOR	2/14/2007
DEXCOM.51CP1CP1	11/681145	ANALYTE SENSOR	3/1/2007
DEXCOM.61CP2CP1	11/690752	TRANSCUTANEOUS ANALYTE SENSOR	3/23/2007
DEXCOM.088CP3	11/691424	ANALYTE SENSOR	3/26/2007
DEXCOM.088CP1	11/691426	ANALYTE SENSOR	3/26/2007
DEXCOM.088CP2	11/691432	ANALYTE SENSOR	3/26/2007
DEXCOM.088CP4	11/691466	ANALYTE SENSOR	3/26/2007
DEXCOM.38CP1CP1	11/692154	DUAL ELECTRODE SYSTEM FOR A CONTINUOUS ANALYTE SENSOR	3/27/2007
DEXCOM.61CP2CP4	11/734178	TRANSCUTANEOUS ANALYTE SENSOR	4/11/2007
DEXCOM.61CP2CP2	11/734184	TRANSCUTANEOUS ANALYTE SENSOR	4/11/2007
DEXCOM.61CP2CP3	11/734203	TRANSCUTANEOUS ANALYTE SENSOR	4/11/2007
DEXCOM.093A	11/750907	ANALYTE SENSORS HAVING A SIGNAL-TO-NOISE RATIO SUBSTANTIALLY UNAFFECTED BY NON-CONSTANT NOISE	5/18/2007
DEXCOM.27CP1CP3	11/762638	SYSTEMS AND METHODS FOR REPLACING SIGNAL DATA ARTIFACTS IN A GLUCOSE SENSOR DATA STREAM	6/13/2007

DEXCOM.028DV1	11/763215	SILICONE COMPOSITION FOR BIOCOMPATIBLE MEMBRANE	6/14/2007
DEXCOM.051C4	11/797520	TRANSCUTANEOUS ANALYTE SENSOR	5/3/2007
DEXCOM.051C5	11/797521	TRANSCUTANEOUS ANALYTE SENSOR	5/3/2007
DEXCOM.061CP2C2	11/842139	TRANSCUTANEOUS ANALYTE SENSOR	8/21/2007
DEXCOM.061C1	11/842142	TRANSCUTANEOUS ANALYTE SENSOR	8/21/2007
DEXCOM.61CP2CPC	11/842143	TRANSCUTANEOUS ANALYTE SENSOR	8/20/2007
DEXCOM.061CP4C1	11/842146	ANALYTE SENSOR	8/20/2007
DEXCOM.061A1C1	11/842148	TRANSCUTANEOUS ANALYTE SENSOR	8/21/2007
DEXCOM.61CP3CPC	11/842149	TRANSCUTANEOUS ANALYTE SENSOR	8/21/2007
DEXCOM.077C1	11/842151	ANALYTE SENSOR	8/21/2007
DEXCOM.061CP2C1	11/842154	TRANSCUTANEOUS ANALYTE SENSOR	8/21/2007
DEXCOM.093C1	11/842156	ANALYTE SENSORS HAVING A SIGNAL-TO-NOISE RATIO SUBSTANTILALLY UNAFFECTED BY NON-CONSTANT NOISE	8/21/2007
DEXCOM.51P3P1C1	11/842157	ANALYTE SENSOR	8/21/2007
DEXCOM.096A	11/855101	TRANSCUTANEOUS ANALYTE SENSOR	9/13/2007
DEXCOM.38CP1CP2	11/865572	DUAL ELECTRODE SYSTEM FOR A CONTINUOUS ANALYTE SENSOR	10/1/2007
DEXCOM.025C1	11/865660	SYSTEM AND METHODS FOR PROCESSING ANALYTE SENSOR DATA	10/1/2007
DEXCOM.051A7C1	11/925603	TRANSCUTANEOUS ANALYTE SENSOR	10/26/2007
DEXCOM.8DV1CPD2	12/037812	ANALYTE MEASURING DEVICE	2/26/2008
DEXCOM.8DV1CPD1	12/037830	ANALYTE MEASURING DEVICE	2/26/2008
DEXCOM.107A	12/054953	ANALYTE SENSOR	3/25/2008
DEXCOM.88CP1CP2	12/055078	ANALYTE SENSOR	3/25/2008
DEXCOM.106A	12/055098	ANALYTE SENSOR	3/25/2008
DEXCOM.88CP1CP1	12/055114	ANALYTE SENSOR	3/25/2008
DEXCOM.88CP1CP3	12/055149	ANALYTE SENSOR	3/25/2008

DEXCOM.88CP1CP4	12/055203	ANALYTE SENSOR	3/25/2008
DEXCOM.88CP1CP5	12/055227	ANALYTE SENSOR	3/25/2008
DEXCOM.024C1D2	12/098353	SYSTEM AND METHODS FOR PROCESSING ANALYTE SENSOR DATA	4/4/2008
DEXCOM.024C1D1	12/098359	SYSTEM AND METHODS FOR PROCESSING ANALYTE SENSOR DATA	4/4/2008
DEXCOM.024C1D3	12/098627	SYSTEM AND METHODS FOR PROCESSING ANALYTE SENSOR DATA	4/7/2008
DEXCOM.051A6C3	12/101790	TRANSCUTANEOUS ANALYTE SENSOR	4/11/2008
DEXCOM.051A9C1	12/101806	TRANSCUTANEOUS ANALYTE SENSOR	4/11/2008
DEXCOM.051A6C2	12/101810	TRANSCUTANEOUS ANALYTE SENSOR	4/11/2008
DEXCOM.016DV1	12/102654	SYSTEM AND METHODS FOR PROCESSING ANALYTE SENSOR DATA	4/14/2008
DEXCOM.016DV2	12/102729	SYSTEM AND METHODS FOR PROCESSING ANALYTE SENSOR DATA	4/14/2008
DEXCOM.016DV3	12/102745	SYSTEM AND METHODS FOR PROCESSING ANALYTE SENSOR DATA	4/14/2008
DEXCOM.034DV1	12/103594	BIOINTERFACE WITH MACRO- AND MICRO-ARCHITECTURE	4/15/2008
DEXCOM.050C1	12/105227	TRANSCUTANEOUS MEDICAL DEVICE WITH VARIABLE STIFFNESS	4/17/2008
DEXCOM.038CP3C1	12/111062	DUAL ELECTRODE SYSTEM FOR A CONTINUOUS ANALYTE SENSOR	4/28/2008
DEXCOM.063C2	12/113508	LOW OXYGEN IN VIVO ANALYTE SENSOR	5/1/2008
DEXCOM.063C1	12/113724	LOW OXYGEN IN VIVO ANALYTE SENSOR	5/1/2008
DEXCOM.094A2	12/133738	INTEGRATED MEDICAMENT DELIVERY DEVICE FOR USE WITH CONTINUOUS ANALYTE SENSOR	6/5/2008
DEXCOM.094A3	12/133761	INTEGRATED MEDICAMENT DELIVERY DEVICE FOR USE WITH CONTINUOUS ANALYTE SENSOR	6/5/2008

DEXCOM.094A4	12/133786	INTEGRATED MEDICAMENT DELIVERY DEVICE FOR USE WITH CONTINUOUS ANALYTE SENSOR	6/5/2008
DEXCOM.037CP1	12/133820	INTEGRATED MEDICAMENT DELIVERY DEVICE FOR USE WITH CONTINUOUS ANALYTE SENSOR	6/5/2008
DEXCOM.061A2DV1	12/137396	TRANSCUTANEOUS ANALYTE SENSOR	6/11/2008
DEXCOM.023RE	12/139305	ELECTRODE SYSTEMS FOR ELECTROCHEMICAL SENSORS	6/13/2008
DEXCOM.051A8C1	12/175391	TRANSCUTANEOUS ANALYTE SENSOR	7/17/2008
DEXCOM.032DV2	12/182008	INTEGRATED RECEIVER FOR CONTINUOUS ANALYTE SENSOR	7/29/2008
DEXCOM.032DV1	12/182073	INTEGRATED RECEIVER FOR CONTINUOUS ANALYTE SENSOR	7/29/2008
DEXCOM.032DV3	12/182083	INTEGRATED RECEIVER FOR CONTINUOUS ANALYTE SENSOR	7/29/2008
DEXCOM.025C1C2	12/195191	SYSTEM AND METHODS FOR PROCESSING ANALYTE SENSOR DATA	8/20/2008
DEXCOM.025C1C1	12/195773	SYSTEM AND METHODS FOR PROCESSING ANALYTE SENSOR DATA	8/21/2008
DEXCOM.045DV1	12/247137	IMPLANTABLE ANALYTE SENSOR	10/7/2008
DEXCOM.051CP3DV	12/250918	ANALYTE SENSOR	10/14/2008
DEXCOM.029DV2	12/252952	SIGNAL PROCESSING FOR CONTINUOUS ANALYTE SENSOR	10/16/2008
DEXCOM.029DV5	12/252967	SIGNAL PROCESSING FOR CONTINUOUS ANALYTE SENSOR	10/16/2008
DEXCOM.029DV1	12/252996	SIGNAL PROCESSING FOR CONTINUOUS ANALYTE SENSOR	10/16/2008
DEXCOM.029DV6	12/253064	SIGNAL PROCESSING FOR CONTINUOUS ANALYTE SENSOR	10/16/2008
DEXCOM.029DV3	12/253120	SIGNAL PROCESSING FOR CONTINUOUS ANALYTE SENSOR	10/16/2008
DEXCOM.029DV4	12/253125	SIGNAL PROCESSING FOR CONTINUOUS ANALYTE SENSOR	10/16/2008
DEXCOM.098A	12/258235	SYSTEMS AND METHODS FOR PROCESSING SENSOR DATA	10/24/2008
DEXCOM.099A2	12/258318	SYSTEMS AND METHODS FOR PROCESSING SENSOR DATA	10/24/2008
DEXCOM.016CP1	12/258320	SYSTEMS AND METHODS FOR PROCESSING SENSOR DATA	10/24/2008

DEXCOM.099A1	12/258325	SYSTEMS AND METHODS FOR PROCESSING SENSOR DATA	10/24/2008
DEXCOM.27CP1CP4	12/258335	SYSTEMS AND METHODS FOR PROCESSING SENSOR DATA	10/24/2008
DEXCOM.099A	12/258345	SYSTEMS AND METHODS FOR PROCESSING SENSOR DATA	10/24/2008
DEXCOM.007C1DV1	12/260017	SENSOR HEAD FOR USE WITH IMPLANTABLE DEVICES	10/28/2008
DEXCOM.029C1	12/263993	SIGNAL PROCESSING FOR CONTINUOUS ANALYTE SENSOR	11/3/2008
DEXCOM.38CPCPDV	12/264160	DUAL ELECTRODE SYSTEM FOR A CONTINUOUS ANALYTE SENSOR	11/3/2008
DEXCOM.043DV1	12/264835	IMPLANTABLE ANALYTE SENSOR	11/4/2008
DEXCOM.88CPP5P6	12/267494	INTEGRATED DEVICE FOR CONTINUOUS IN VIVO ANALYTE DETECTION AND SIMULTANEOUS CONTROL OF AN INFUSION DEVICE	11/7/2008
DEXCOM.038CP5	12/267518	ANALYTE SENSOR	11/7/2008
DEXCOM.88CP1P1P	12/267525	ANALYTE SENSOR	11/7/2008
DEXCOM.88P1P1P2	12/267531	ANALYTE SENSOR	11/7/2008
DEXCOM.016CP2	12/267542	ANALYTE SENSOR	11/7/2008
DEXCOM.88CPP5P4	12/267544	ANALYTE SENSOR	11/7/2008
DEXCOM.88CPP5P5	12/267545	ANALYTE SENSOR	11/7/2008
DEXCOM.88CPP5P3	12/267546	ANALYTE SENSOR	11/7/2008
DEXCOM.88CPP5P2	12/267547	ANALYTE SENSOR	11/7/2008
DEXCOM.88CPP5P1	12/267548	ANALYTE SENSOR	11/7/2008
DEXCOM.051A12C1	12/273359	TRANSCUTANEOUS ANALYTE SENSOR	11/18/2008
DEXCOM.051C6	12/329496	TRANSCUTANEOUS ANALYTE SENSOR	12/5/2008
DEXCOM.038CP2C1	12/335403	DUAL ELECTRODE SYSTEM FOR A CONTINUOUS ANALYTE SENSOR	12/15/2008
DEXCOM.027DV1	12/353787	SYSTEMS AND METHODS FOR REPLACING SIGNAL ARTIFACTS IN A GLUCOSE SENSOR DATA STREAM	1/14/2009
DEXCOM.027DV2	12/353799	SYSTEMS AND METHODS FOR REPLACING SIGNAL ARTIFACTS IN A GLUCOSE SENSOR DATA STREAM	1/14/2009
DEXCOM.061C2	12/353870	TRANSCUTANEOUS ANALYTE SENSOR	1/14/2009
DEXCOM.051C7	12/359207	TRANSCUTANEOUS ANALYTE SENSOR	1/23/2009

Application No.: 10/633,329
 Filing Date. August 1, 2003

DEXCOM.100A	12/362194	CONTINUOUS CARDIAC MARKER SENSOR SYSTEM	1/29/2009
DEXCOM.061CP2C3	12/364786	TRANSCUTANEOUS ANALYTE SENSOR	2/3/2009
DEXCOM.101A	12/365683	CONTINUOUS MEDICAMENT SENSOR SYSTEM FOR IN VIVO USE	2/4/2009
DEXCOM.102A2	12/390205	SYSTEMS AND METHODS FOR CUSTOMIZING DELIVERY OF SENSOR DATA	2/20/2009
DEXCOM.102A3	12/390290	SYSTEMS AND METHODS FOR BLOOD GLUCOSE MONITORING AND ALERT DELIVERY	2/20/2009
DEXCOM.102A1	12/390304	SYSTEMS AND METHODS FOR PROCESSING, TRANSMITTING AND DISPLAYING SENSOR DATA	2/20/2009
DEXCOM.061DV1	12/391148	TRANSCUTANEOUS ANALYTE SENSOR	2/23/2009
DEXCOM.051C10	12/393887	TRANSCUTANEOUS ANALYTE SENSOR	2/26/2009
DEXCOM.104A2	12/413166	POLYMER MEMBRANES FOR CONTINUOUS ANALYTE SENSORS	3/27/2009
DEXCOM.104A1	12/413231	POLYMER MEMBRANES FOR CONTINUOUS ANALYTE SENSORS	3/27/2009
DEXCOM.029DV8	12/424391	SIGNAL PROCESSING FOR CONTINUOUS ANALYTE SENSOR	4/15/2009
DEXCOM.029DV7	12/424403	SIGNAL PROCESSING FOR CONTINUOUS ANALYTE SENSOR	4/15/2009
DEXCOM.061A1C2	12/437436	TRANSCUTANEOUS ANALYTE SENSOR	5/7/2009
DEXCOM.029DV9	12/509396	SIGNAL PROCESSING FOR CONTINUOUS ANALYTE SENSOR	7/24/2009
DEXCOM.075DV1	12/511982	SILICONE BASED MEMBRANES FOR USE IN IMPLANTABLE GLUCOSE SENSORS	7/29/2009
DEXCOM.088CP4C1	12/535620	ANALYTE SENSOR	8/4/2009
DEXCOM.037DV1	12/536852	INTEGRATED DELIVERY DEVICE FOR CONTINUOUS GLUCOSE SENSOR	8/6/2009
DEXCOM.095A	12/562011	PARTICLE-CONTAINING MEMBRANE AND PARTICULATE ELECTRODE FOR ANALYTE SENSORS	9/17/2009
DEXCOM.029DV12	12/565166	SIGNAL PROCESSING FOR CONTINUOUS ANALYTE SENSOR	9/23/2009

Application No.: 10/633,329
Filing Date. August 1, 2003

DEXCOM.029DV13	12/565173	SIGNAL PROCESSING FOR CONTINUOUS ANALYTE SENSOR	9/23/2009
DEXCOM.029DV10	12/565180	SIGNAL PROCESSING FOR CONTINUOUS ANALYTE SENSOR	9/23/2009
DEXCOM.029DV14	12/565199	SIGNAL PROCESSING FOR CONTINUOUS ANALYTE SENSOR	9/23/2009
DEXCOM.032DV1DV	12/565205	SIGNAL PROCESSING FOR CONTINUOUS ANALYTE SENSOR	9/23/2009
DEXCOM.029DV15	12/565231	SIGNAL PROCESSING FOR CONTINUOUS ANALYTE SENSOR	9/23/2009
DEXCOM.025RX	95/001038	SYSTEM AND METHODS FOR PROCESSING ANALYTE SENSOR DATA	4/17/2008
DEXCOM.024RX	95/001039	SYSTEM AND METHODS FOR PROCESSING ANALYTE SENSOR DATA	4/17/2008

Conclusion

In view of the foregoing amendments and remarks, it is respectfully submitted that the present application is in condition for allowance. Should the Examiner have any remaining concerns that might prevent the prompt allowance of the application, the Examiner is respectfully invited to contact the undersigned at the telephone number below.

Please charge any additional fees, including any fees for additional extension of time, or credit overpayment to Deposit Account No. 11-1410.

Respectfully submitted,

KNOBBE, MARTENS, OLSON & BEAR, LLP

Dated: September 30, 2009

By: 

Rose M. Thiessen
Registration No. 40,202
Attorney of Record
Customer No. 68,851
(949) 760-0404

AMEND
7876380
092909